



High Performance Heavy Duty Sanders for the Marine and Composites Industries

Built with oversized bearings, spring steel ware plates, extra large drive heads, polished aircraft aluminium and nylon composites combined with hand fitted precision assembled components result in:

- Long lasting heavy duty performance
- Air efficient operation
- Exceeds international OH&S standards for noise and vibration
- 12 months warranty

3800-4

Features

- Designed for marine and industrial applications where a larger footprint is required. The big 115mm x 406mm pad delivers a whopping 465 sq. mm of sanding surface. The additional surface area also adds stability to the tool for ease of operation.





5.0mm Orbit Action

SPECIFICATIONS

RPM:	8500+
Weight:	2.5kg
Air Consumption:	323 l/m @ 620 kPa
Noise Level:	89 dBa
Part No:	3800-4
Pad Size:	115mm x 406mm Hook or Standard

- Standard pad with heavy duty paper clips
- Non dust extraction



- Takes the **torture** out of the "torture board" with 40-320 grits
- Ideal fast and smooth fairing sander
- Excellent block sander for a ripple free surface
- Low air consumption



4932-4H

- Hook pad with dust extraction ports
- Use with mesh type abrasive
- Connect to Vac Assist System (VA) or is supplied with a bag for Dust Free Sanding (DF).

3800-4H

- Hook pad without paper clips
- Non dust extraction.

3806 Marine Rasper

Features

- Orbital Action
- Designed specially for the Marine Industry for fairing plugs and hulls.
- The 203mm x 457mm cushioned pad with Heavy Duty Clips allows the operator to "Float" the Rasper over the surface to create the ultimate smooth, flat finish.
- When used with finer abrasives, the Marine Rasper delivers excellent results for levelling woodworking finishes.



5.0mm Orbit Action

SPECIFICATIONS

RPM:	8500+
Weight:	2.5kg
Air Consumption:	323 l/m @ 620 kPa
Noise Level:	84 dBa
Part No:	3806
Pad Size:	200mm x 460mm




High Performance Heavy Duty Sanders for the Marine and Composites Industries

7544 Blue Top Water Bug III

Features

- Random Orbit Wet Sander
- 2.4mm orbit is an ideal painters finishing tool and an excellent topside sander using finer grits prior to compounding
- Easy water bucket pick up
- Economical water use with no mains water supply connection required
- Comes with 6 metre water pick up hose and weighted pick up nozzle
- Ergonomically designed for smooth operation
- Low air consumption.




SPECIFICATIONS

RPM:	10,000+
Weight:	1.0kg
Air Consumption:	311 l/m @ 620 kPa
Noise Level:	80 dBa
Part No:	7544
Pad Size:	150mm
With Pad Release	

7545 Red Top Water Bug III

Features

- A more aggressive version of 7544 featuring a 5.0mm Orbit
- Reduces time and operator fatigue when sanding anti foul. Use 80 grit mesh disc.
- Same water pick up features as the 7544.





SPECIFICATIONS

RPM:	10,000+
Weight:	1.0kg
Air Consumption:	311 l/m @ 620 kPa
Noise Level:	80 dBa
Part No:	7545
Pad Size:	150mm
With Pad Release	

3560M Divers Sander

Features

- Random Orbit Sander
- Specially designed for divers
- Can be used for underwater sanding
- Fully waterproof
- Ideal for removal of anti foul and for removal of algae in aquariums
- Specialised coated interior motor and stainless steel ball bearings
- Built in air and water evacuation tube to reduce bubbles on the work surface.




SPECIFICATIONS

RPM:	10000+
Weight:	1.2kg
Air Consumption:	311 l/m @ 620 kPa
Noise Level:	84 dBa
Part No:	3560
Pad Size:	150mm
With Pad Release	

- **All Hutchins tools have inbuilt speed control**
- **All Hutchins wet sanders have inbuilt water flow control**

Hutchins Patented Pad Release

The patented quick change release allows the pad to be replaced in seconds without the need for an additional spanner.






High Performance Heavy Duty Sanders for the Marine and Composites Industries

3950 Blue Top VA

Features

- Random Orbit Action
- 3950 offers ultra fine finishing with 2.4mm random orbit
- Light weight low profile composite body and shroud do not compromise its heavy duty performance
- Unique 4 bearing support ensures full pad contact
- Oversized drive head eliminates pad wobble, vibration and operator fatigue.



2.4mm Orbit



Vac Assist


SPECIFICATIONS

RPM:	10,000+
Weight:	1.0 kg
Air Consumption:	311 l/m @ 620 kPa
Noise Level:	80 dBa
Part No:	3950
Pad Size:	150mm
With Pad Release	

3960 Red Top VA

Features

- Same features as 3950 but with a 5.0mm Orbit for more aggressive sanding.



5.0mm Orbit



Vac Assist


SPECIFICATIONS

RPM:	10,000+
Weight:	1.0 kg
Air Consumption:	311 l/m @ 620 kPa
Noise Level:	82 dBa
Part No:	3960
Pad Size:	150mm
With Pad Release	


3970 Black Top VA (Industrial Sander)

Features

- Random Orbit Action
- Designed for industrial and production applications with 30% more sanding performance than conventional sanders
- Revolutionary high power motor design delivers high speed sanding with stand out **low** air consumption of **only** 240 l/m (8.5 CFM)
- 3970 is available with either a 150mm or 200mm DIA abrasive hook backing pad
- Legendary Hutchins balance, durability and quality.



5028H -200mm Pad



5.0mm Orbit



Vac Assist


SPECIFICATIONS

RPM:	13,000+
Weight:	1.0 kg
Air Consumption:	240 l/m @ 620 kPa
Noise Level:	84 dBa
Part No:	3970
Pad Size:	150mm or optional 200mm
With Pad Release	

4906 VA Sander

Features

- Robust, heavy duty, gear box driven, low speed rotary action sander.
- Ideal 40/60 grit stripping tool, however, it is capable of producing a quality feather edge with finer grit abrasives up to 320 grit.
- The rotary action and optimum speed together with coarse grit 40/60 abrasives ensures super fast stock removal on composite and timber substrates.



Rotary



Vac Assist

SPECIFICATIONS

RPM:	1750
Weight:	1.9kg
Air Consumption:	311 l/m @ 620 kPa
Noise Level:	85 dBa
Part No:	4906
Pad Size:	150mm




Professional Quality Sanding Boards

C-11 Wide Curved Board



SPECIFICATIONS
Description: Hardwood Wide Radius for gentle curves.
Part No: 5511
Abrasive Size: 115mm x 280mm

S-11 Medium Curved Board



SPECIFICATIONS
Description: Hardwood Medium Radius for concave areas.
Part No: 5510
Abrasive Size: 115mm x 280mm

R-11 Small Curved Board



SPECIFICATIONS
Description: Hardwood Small Radius for small intricate curves.
Part No: 5512
Abrasive Size: 75mm x 280mm

AF-8 Mini File Board



SPECIFICATIONS
Description: Great for small areas. Tempered aluminium base permits wet and dry sanding. Long life for a smart investment.
Part No: 5506
Abrasive Size: 75mm x 200mm

AF16 Speedfile Board



SPECIFICATIONS
Description: Tempered aluminium with cushioned base. Wet or dry sanding.
Part No: 5502
Abrasive Size: 70mm x 445mm

PF16 Speedfile Board



SPECIFICATIONS
Description: Virtually indestructible Cicolac plastic for flexibility and long life. Flat surfaces or curves. Wet or dry sanding.
Part No: 5501
5540 — To complement vacuum sanding
Abrasive Size: 70mm x 445mm

NEW

5543H Fairing Board



SPECIFICATIONS
Description: Constructed from rigid light weight aircraft aluminium — Hook Pad
Part No: 5534H
Abrasive Size: 115mm x 762mm

Sole Australian Agent:
Australian Warehouse Distributors
Tel: 03 9553 1977 Fax: 03 9553 1225
Email: stork.awd@bigpond.com.au

Available from:

